



Industrial Investment Trust Limited

CYBER SECURITY POLICY & CYBER CRISIS MANAGEMENT PLAN

February 10, 2018

1 DEFINITION

The use of the term “company” is in reference to the following organization: Industrial Investment Trust Limited.

2 INTRODUCTION

This Cyber Security Policy is a formal set of rules by which those people who are given access to company technology and information assets must abide.

The Cyber Security Policy serves several purposes. The main purpose is to inform company users: employees, contractors and other authorized users of their obligatory requirements for protecting the technology and information assets of the company. The Cyber Security Policy describes the technology and information assets that we must protect and identifies many of the threats to those assets.

The Cyber Security Policy also describes the user’s responsibilities and privileges. What is considered acceptable use? What are the rules regarding Internet access? The policy answers these questions, describes user limitations and informs users there will be penalties for violation of the policy. This document also contains procedures for responding to incidents that threaten the security of the company computer systems and network.

3 WHAT ARE WE PROTECTING

It is the obligation of all users of the company systems to protect the technology and information assets of the company. This information must be protected from unauthorized access, theft and destruction. The technology and information assets of the company are made up of the following components:

- Computer hardware, CPU, disc, Email, web, application servers, PC systems, application software, system software, etc.
- System Software including: operating systems, database and so forth.
- Application Software: used by the various departments within the company. This includes commercial off the shelf software packages.
- Communications Network hardware and software including: routers, modems, switches, private lines etc.

3.1 Classification of Information

User information found in computer system files and databases shall be classified as either confidential or non-confidential. The company shall classify the information controlled by them. It is required to review and approve the classification of the information and determine the appropriate level of security to best protect it.

3.2 Classification of Information on Computer Systems

Security Level	Description	Specification
RED	<p>This system contains confidential information – information that cannot be revealed to personnel outside of the company. Even within the company, access to this information is provided on a “need to know” basis.</p> <p>The system provides mission-critical services vital to the operation of the business. Failure of this system may have life threatening consequences and/or an adverse financial impact on the business of the company.</p>	Tally Database, Accounts Data on Server Drives
GREEN	This system does not contain confidential information or perform critical services, but it provides the ability to access RED systems through the network.	Other User Data on Network Drives
WHITE	This system is not externally accessible. It is on an isolated LAN segment, unable to access RED or GREEN systems. It does not contain sensitive information or perform critical services.	Other User Data on Desktops and Laptops
BLACK	This system is externally accessible. It is isolated from RED or GREEN systems by a firewall. While it performs important services, it does not contain confidential information.	Laptops and Desktops in spare.

3.3 Local Area Network (LAN) Classifications

A LAN will assume the Security Classification of the highest level systems attached to it.

4 Threats to Security

4.1 Employees

One of the biggest security threats is employees. They may do damage to the systems either through incompetence or on purpose. This is to be mitigated by doing the following.

- ✓ Only give out appropriate rights to systems. Limit access to only business hours.
- ✓ Don't share accounts to access systems. Never share your login information with co-workers.
- ✓ When employees are separated or disciplined, you remove or limit access to systems.
- ✓ Physically secure computer assets, so that only staff with appropriate need can access.

4.2 Amateur Hackers and Vandals.

These people are the most common type of attackers on the Internet. The probability of attack is extremely high and there is also likely to be a large number of attacks. These are usually crimes of opportunity. These amateur hackers are scanning the Internet and looking for well-known security holes that have not been plugged. Web servers and electronic mail are their favorite targets. Once they find a weakness they will exploit it to plant viruses, Trojan horses, or use the resources of your system for their own means. If they do not find an obvious weakness they are likely to move on to an easier target.

4.3 Criminal Hackers and Saboteurs.

The probability of this type of attack is low, but not entirely unlikely given the amount of sensitive information contained in databases. The skill of these attackers is medium to high as they are likely to be trained in the use of the latest hacker tools. The attacks are well planned and are based on any weaknesses discovered that will allow a foothold into the network.

5 User Responsibilities

This section establishes usage policy for the computer systems, networks and information resources of the office. It pertains to all employees and contractors who use the computer systems, networks, and information resources as business partners, and individuals who are granted access to the network for the business purposes of the company.

5.1 Acceptable Use

User accounts on company computer systems are to be used only for business of the company and not to be used for personal activities. Unauthorized use of the system may be in violation of the law, constitutes theft and can be punishable by law.

Therefore, unauthorized use of the company computing system and facilities may constitute grounds for either civil or criminal prosecution.

Users are personally responsible for protecting all confidential information used and/or stored on their accounts. This includes their logon IDs and passwords. Furthermore they are prohibited from making unauthorized copies of such confidential information and/or distributing it to unauthorized persons outside the company.

Users shall not purposely engage in activity with the intent to: harass other users; degrade the performance of the system; divert system resources to their own use; or gain access to company systems for which they do not have authorization.

Users shall not attach unauthorized devices on their PCs or workstations, unless they have received specific authorization from the employees' manager and/or the company IT designee.

Users shall not download unauthorized software from the Internet onto their PCs or workstations.

Users are required to report any weaknesses in the company computer security, any incidents of misuse or violation of this policy to their immediate supervisor.

5.2 Use of the Internet

The company will provide Internet access to employees and contractors who are connected to the internal network **and** who has a business need for this access. Employees and contractors must obtain permission from their supervisor and file a request with the Security Administrator.

The Internet is a business tool for the company. It is to be used for business-related purposes such as: communicating via electronic mail with suppliers and business partners, obtaining useful business information and relevant technical and business topics.

The Internet service may not be used for transmitting, retrieving or storing any communications of a discriminatory or harassing nature or which are derogatory to any individual or group, obscene or pornographic, or defamatory or threatening in nature for "chain letters" or any other purpose which is illegal or for personal gain.

SOCIAL ENGINEERING AVOIDANCE: employees and contractors should always be aware that criminals have interest in using social engineering techniques to gain access to sensitive information. The awareness and integrity of an employee is the best line of defense for protecting sensitive information. Employees and contractors must be aware of the types of social engineering attacks. These may include, but not be limited to telephone; email, letter, personal contact or other electronic means (instant messenger, text messaging, etc.). In addition social engineering may include any attempt by any individual (including internal employees or in-person contact) to gain information via pressure techniques - i.e. social pressure, social encouragement or simply being tricked or deceived. Employees should always avoid clicking on links or opening attachments from unknown or suspicious sources. If any employee or contractor encounters a social engineering attempt, the employee should contact the IT Manager.

5.3 User Classification

All users are expected to have knowledge of these security policies and are required to report violations to the Security Administrator. Furthermore, all users must conform to the Acceptable Use Policy defined in this document. The company has established the following user groups and defined the access privileges and responsibilities:

User Category	Privileges & Responsibilities
Department Users (Includes All Employees of IITL)	Access to application and databases as required for job function.
IT Manager	Access to computer systems, routers, hubs, and other infrastructure technology required for job function. Allowed access to all computer systems, databases, firewalls, and network devices as required for job function.
Systems Analyst/Programmer	Access to applications and databases as required for specific job function. Not authorized to access routers, firewalls, or other network devices.
Contractors/Consultants/Other Agencies and Business Partners	Access to applications and databases as required for specific job functions. Access to company information and systems must be approved by the company director/CEO.

5.4 Monitoring Use of Computer Systems

The company has the right to monitor and capability to restrict electronic information created and/or communicated by persons using company computer systems and networks, including e-mail messages and usage of the Internet. It is not the company policy or intent to continuously monitor all computer usage by employees or other users of the company computer systems and network. However, users of the systems should be aware that the company may monitor usage, including, but not limited to, patterns of usage of the Internet (e.g. site accessed, on-line length, time of day access), and employees' electronic files and messages to the extent necessary to ensure that the Internet and other electronic communications are being used in compliance with the law and with company policy.

6 Access Control

A fundamental component of our Cyber Security Policy is controlling access to the critical information resources that require protection from unauthorized disclosure or modification. The fundamental meaning of access control is that permissions are assigned to individuals or systems that are authorized to access specific resources. Access controls exist at various layers of the system, including the network. Access control is implemented by logon ID and password. At the application and database level, other access control methods can be implemented to further restrict access. The

application and database systems can limit the number of applications and databases available to users based on their job requirements.

6.1 User System and Network Access – Normal User Identification

All users will be required to have a unique logon ID and password for access to systems. The user's password should be kept confidential and **MUST NOT** be shared with any other employee whatsoever. All users must comply with the company's official password policy.

Users are not allowed to access password files on any network infrastructure component. Password files on servers will be monitored for access by unauthorized users. Copying, reading, deleting or modifying a password file on any computer system is prohibited.

Users will not be allowed to logon as a System Administrator. Users who need this level of access to production systems must request a Special Access account as outlined elsewhere in this document.

Employee Logon IDs and passwords will be deactivated as soon as possible if the employee is terminated, fired, suspended, placed on leave, or otherwise leaves the employment of the company office.

HR Dept. shall immediately and directly contact the company IT Manager to report change in employee status that requires terminating or modifying employee logon access privileges.

Employees who forget their password must call the IT department to get a new password assigned to their account. The employee must put a request to the HR Dept. which shall be communicated to the IT department.

Employees will be responsible for all transactions occurring during Logon sessions initiated by use of the employee's password and ID. Employees shall not logon to a computer and then allow another individual to use the computer or otherwise share access to the computer systems.

6.2 System Administrator Access

IT manager will have access to all host systems, routers, hubs, and firewalls as required to fulfill the duties of their job.

All system administrator passwords will be **DELETED** immediately after any employee who has access to such passwords is terminated, fired, or otherwise leaves the employment of the company.

6.3 Special Access

Special access accounts are provided to individuals requiring temporary system administrator privileges in order to perform their job. These accounts are monitored by the company and require the permission of the user's company IT Manager.

6.4 Connecting to Third-Party Networks

This policy is established to ensure a secure method of connectivity provided between the company and all third-party companies and other entities required to electronically exchange information with company.

“Third-party” refers to vendors, consultants and business partners doing business with company, and other partners that have a need to exchange information with the company. Third-party network connections are to be used only by the employees of the third-party, only for the business purposes of the company. The third-party company will ensure that only authorized users will be allowed to access information on the company network. The third-party will not allow Internet traffic or other private network traffic to flow into the network.

This policy applies to all third-party connection requests and any existing third-party connections. In cases where the existing third-party network connections do not meet the requirements outlined in this document, they will be re-designed as needed.

All requests for third-party connections must be made by submitting a request and be approved by the company.

6.5 Connecting Devices to the Network

Only authorized devices may be connected to the company network. Authorized devices include PCs and workstations owned by company that comply with the configuration guidelines of the company. Other authorized devices include network infrastructure devices used for network management and monitoring.

Users shall not attach to the network: non-company computers that are not authorized, owned and/or controlled by company. Users are specifically prohibited from attaching personal laptops, Tabs, Palmtops to the company network.

NOTE: Users are not authorized to attach any device that would alter the topology characteristics of the Network or any unauthorized storage devices, e.g. thumb drives and writable CD's.

6.6 Remote Access

Only authorized persons may remotely access the company network. Remote access is provided to those employees, contractors and business partners of the company that have a legitimate business need to exchange information, copy files or programs, or access computer applications. Authorized connection can be remote PC to the network or a remote network to company network connection. The only acceptable method of remotely connecting into the internal network is using a secure ID.

6.7 Unauthorized Remote Access

The attachment of a user's PC or workstation that is connected to the company LAN is not allowed without the written permission of the company. Additionally, users may not install personal software designed to provide remote control of the PC or workstation. This type of remote access bypasses the authorized highly secure methods of remote access and poses a threat to the security of the entire network.

7 Penalty for Security Violation

The company takes the issue of security seriously. Those people who use the technology and information resources of company must be aware that they can be disciplined if they violate this policy. **Upon violation of this policy, an employee of company may be subject to discipline up to and including discharge.** The specific discipline imposed will be determined by a case-by-case basis, taking into consideration the nature and severity of the violation of the Cyber Security Policy, prior violations of the policy committed by the individual, state (and federal laws) and all other relevant information. Discipline which may be taken against an employee shall be administrated in accordance with any appropriate rules or policies.

In a case where the accused person is not an employee of company the matter shall be submitted to the management. The management may refer the information to law enforcement agencies and/or prosecutors for consideration as to whether criminal charges should be filed against the alleged violator(s).

8 Cyber Crisis Management Plan & Procedures

This section provides some policy guidelines and procedures for handling cyber crisis. The term “cyber crisis” is defined as any irregular or adverse event that threatens the security, integrity, or availability of the information resources on any part of the company network. Some examples of security incidents are:

- Illegal access of a company computer system. For example, a hacker logs onto a production server and copies the password file.
- Damage to a company computer system or network caused by illegal access. Releasing a virus or worm would be an example.
- Denial of service attack against a company web server. For example, a hacker initiates a flood of packets against a Web server designed to cause the system to crash.
- Malicious use of system resources to launch an attack against other computer outside of the company network. For example, the system administrator notices a connection to an unknown network and a strange process accumulating a lot of server time.

8.1 Detection

This phase involves the continuous monitoring of information sources, the detection of a cyber-security event, and the collection and recording of information associated with the event.

Key Activities include the following:

- Monitor user reports of anomalous activities
- Monitor alerts from internal security systems
- Look for signs of anomalous activities within systems or the network
- Gather relevant information
- Continue monitoring and detection
- Escalate anomalous reports to the Incident Response Team

The possible causes of a cyber-security incident include the following:

- Attempts to gain unauthorized access to a system or its data
- Attempts to disrupt an organization's service delivery
- Unauthorized access to information systems
- Unauthorized changes to information systems
- Infection with malware
- A trusted insider with malicious intent
- E-mail with malicious content
- Use of removable media such as an infected USB flash drive
- A user browsing to a web site that takes advantage of a weakness in the browser itself
- The theft or loss of an information system such as a laptop or smartphone
- Signs that an information system may have been compromised include the following:
 - Accounts or passwords are no longer working
 - The system has run out of disk space or memory
 - It can no longer connect to the network
 - It crashes constantly or reboots unexpectedly
 - The web browser no longer functions as expected
 - Contacts from an email address book are receiving SPAM from that email address
 - Endpoint security controls, such as a virus scanner, are no longer functioning
 - Endpoint security controls, such as a virus scanner, inform you that an attempt has been made to compromise the information system itself
 - Information system logs show suspicious activity
- ✓ Employees, who believe their terminal or computer systems have been subjected to a security incident, or has otherwise been improperly accessed or used, should report the situation to their IT Manager immediately.
- ✓ The employee shall not turn off the computer or delete suspicious files.
- ✓ Leaving the computer in the condition it was in when the security incident was discovered will assist in identifying the source of the problem and in determining the steps that should be taken to remedy the problem.

8.2 Response

Respond to incidents: for example by containing them, investigating them, and resolving them.

Activities include the following:

- Assign internal resources and identify external resources in order to respond to the incident
- Contain the problem; The IT manager shall immediately disconnect the affected system from the network in order to prevent the more damage.
- Troubleshooting process should be started.
- Eradicate the malicious components of the incident, for example, by deleting malware or disabling a breached user account
- If necessary, conduct a forensic analysis of the incident

Four Classes of Cyber security Incident Response:

TECHNICAL RESPONSE (IT Dept.)

The technical response focuses on the actions the technical staff i.e. the IT Dept. takes to analyze and resolve an event or incident. This phase involves several groups or departments within the organization to coordinate and provide technical actions to contain, resolve, or mitigate incidents, as well as providing the actions needed to repair and recover, if necessary, affected systems or data.

MANAGEMENT RESPONSE (Management)

The management response highlights activities that require some type of management intervention, notification, interaction, escalation, or approval as part of any response. It may include coordinating with corporate communications as it relates to any human resources, public relations, financial accounting, audits, and compliance issues.

COMMUNICATIONS RESPONSE (Management)

These are activities that require some measure of communications to the corporation and internal and external constituents. Corporate communications should always be consulted prior to any communications being released.

LEGAL RESPONSE (Legal Team)

The legal response, if required, would work with outside regulators, third parties, and other parties. In addition, legal input would be required for any external communications, to ensure that such communication is in accordance with company policy and supports any statutory or regulatory requirements.

8.3 Recover

Activities include the following:

- Try to recover all the critical data on the system; use available backups if necessary.
- In necessary; a data recovery professional should be hired.
- After, the data is recovered; the affected system should be restored to normal operation by formatting and reinstalling it as per the user requirements and fixing the vulnerabilities to prevent similar incidents
- All other systems connected in the same network should also be scanned for malicious activities as a precautionary major.
- All possible majors should be applied to discover the reason for the crisis.
- If necessary, conduct a forensic analysis of the incident.

8.4 Containment

This phase involves activities such as learning from the incident and making changes that improve security and processes.

Activities include the following:

- Identify the lessons learned from the cyber security crisis occurred.
- Identify and make improvements to the organization's security architecture.
- Review how effectively the cyber crisis management plan was executed during the cyber security incident.

This must be done proactively as this is one of the most important parts of cyber security crisis management. It is very helpful in improving security measures, and the cyber security incident handling process itself. It provides a chance to achieve closure with respect to an incident by reviewing what occurred, what was done to intervene, and how well intervention worked.